

IP Camera

ICA-E3550V


5 Mega-pixel Bullet IR PoE IP Camera with Extended Support



VERIFY THE CONTENTS INSIDE THE BOX
The package should contain the following items. If any item is missing or damaged, please contact the seller immediately.

- Camera x 1
- Quick Installation Guide x 1
- Mounting Screw Kit x 1
- Cable Gland Package x 1
- Sunshield x 1
- Bracket x 1
- Bracket Plate x 1

1. Hardware Overview




Note
When user closes the back cover, please make sure the rubber seal is properly attached and the power cable is plugged well into power cable slot.


2. Installation

Step 1: Hardware Installation

1. Install the bundled bracket
 - A. Mark the location of the three screw holes using the bracket plate included in the package.



- B. Attach the plate to the surface using the three supplied screws.




- C. Attach the bracket to the plate.



2. Install Cable Gland with RJ45 cable.
 - A. Disassemble the cable gland as shown below:



- B. Slip the clamping nut through the Ethernet cable. (Ethernet cable is not included)



- C. Wrap around the cable with the sealing insert with claw.



D. Slip the gland body through the Ethernet cable.



E. Place the washer around the Ethernet port.



F. Connect the Ethernet cable to the Ethernet port.



G. Combine all items, and insert the sealing insert into the cable gland body and then attach the clamping nut to complete the cable solution.



Note
Make sure the gland body is tightly attached to the Ethernet port and the washer is secured between them. Moreover, please also make sure the clamping nut is tightly attached to the cable gland body and the sealing insert is squeezed tightly.


Step 2: Connecting Network and PoE



Note
The camera supports IEEE 802.3af and is only powered from PoE.

Step 3: Running Search Tool to Locate the IP Camera

- Download camera search tool: IP Utility, from the Download Center of our website (<http://www.planet.com.tw/en/support/download.php?model=48711&type=8184#list>).
- Run IP Utility to start searching for cameras.
- After the IP Utility is launched, all cameras found in your local area network will be displayed.




Step 4: The Dialog Box for Further Configuration

- The default account and password are both **admin**.



- Click the IP Camera's IP address you want to configure.



Note
The default IP address of camera is 192.168.0.20.

- The IP Camera will be connected via Web browser automatically.
- When the device is logged on for the first time, the browser will prompt a message; please click **"Allow"** to install controls.



Note
If IE9 or higher version browser is used, it is suggested that PLANET camera Web link should be added as a trusted site.

Appendix A: Default Setting

Default DHCP Client	On
Default IP Address	192.168.0.20 – if DHCP Server does not exist in the network
Default Login User Name	admin
Default Login Password	admin
Search Tools	IP Utility

Appendix B: Extended Software Introduction

PLANET provides the following software to cooperate with ICA-E series of cameras. With these software, user is able to manage, analyze, and even recognize vehicle license plate.

CV7L: <http://www.planet.com.tw/en/support/download.php?model=48724&type=8184#list>

CV7L is a freeware of video management to help users monitor and record images / videos from multiple cameras simultaneously by using a single PC. It is able to operate up to 16 channels with advanced features such as event management and recording, tri-display monitoring, smart motion detection, PTZ control and E-map.

CV7-VA: <http://www.planet.com.tw/en/support/download.php?model=48725&type=8184#list>

CV7-VA is a payware of video analytics that is designed to transform your video surveillance network into a smart detection system. The software provides Enter Area, People Counting, Missing Object, Line Crossing, Unattended Object and Tamper functions. Once a suspicious activity is detected, users can playback to watch these events and use them as references



or evidences if needed. With these intelligent functions, it can help you enhance your existing surveillance system while providing you with valuable information for management.

CV7-LP: <http://www.planet.com.tw/en/support/download.php?model=48726&type=8184#list>

CV7-LP is a payware of video analytics that is designed to detect and recognize vehicle license plates. This software is able to automatically locate and read license plates appearing in a certain area, and match this data against the database. It provides efficiency in parking and traffic control, as well as law enforcement. With CV7-LP, you can easily cross-check if a vehicle that is passing through the parking gate or parked in the designated space matches its parking permit. Moreover, law enforcement officers can effortlessly identify suspicious vehicles by matching the license plate with its database.

If you need further information, please scan the QR code or contact PLANET directly at the following email address: support_ica@planet.com.tw.



3. Further Configuration

For detailed configuration, please check user's manual on our website. (<http://www.planet.com.tw/en/support/download.php?model=48711&type=3#list>)



If you have any other question, please contact the dealer where you purchased this product or you can contact PLANET directly at the following email address: support_ica@planet.com.tw