

DKVM-1716

17" LCD Drawer KVM Console with 16 Ports Combo-Free Module



Easy Switching, Efficient Management

The PLANET DKVM-1716 is the drawer KVM with single-rail console design offering industrial level input solution. Its rail can be simply locked into the rack and then the network administrator can conveniently pull the KVM console to control the server system. It also supplies Combo VGA cable set for easily connecting to the console ports of your KVM Switch, regardless of the connected port interface USB or PS/2.

The DKVM-1716 enables the administrators to centrally manage the network system efficiently with its combo-free KVM Switch modules which are loaded with rich features, such as one local console port, Daisy chain capability, On Screen Display (OSD) menu, Password security, Searching PC server name, Hot key control, Push button and Auto-Scan control, complete keyboard and mouse emulation for simultaneously PC boot-up processes.

Easy to Install

By the unique separate rail design of the DKVM-1716, users can install the KVM console easily. In case you need to maintain the console, you can easily uninstall without effecting the server above or below.

Modular KVM Switches

The users can use the DKVM-1716 as single port console or through some simple action and few screws to be 16 ports KVM Switch.



Hardware

- · Heavy Duty Electroplated Steel
- Supports high resolution up to 1280 x 1024 @
 75Hz
- Complies with EIA RS-310C 19" Rack Mount standard

System

- Supports Combo KVM module to connect servers / KVM via USB & PS/2 connection
- Fully supports Logitech / Microsoft / IBM PS/2 mouse / trackball and compatible PS/2 mouse / trackball
- Supports hot plug; not necessary to turn off the original system regardless of a newly installed PC or KVM

Installation

- · Single rail design, easy to install
- OSD function for LCD display and KVM Switch
- Cascade controls 256 sets of PCs
- Supports 6 keyboard languages (with ongoing updates)



Common Keyboard Languages Support


The DKVM-1716 supports several common languages in the world including English, Germany, French, Italian, Spanish, and Chinese on its keyboard so that the device can be easily applied in most of the countries.

Powerful Mouse / Keyboard Support


In the present computer applications, a mouse is essential for system control. The DKVM-1716 fully supports all PS/2 compatible mice in the market such as Logitech, Microsoft, IBM and etc. It provides the PS/2 Keyboard Port of the CODE SET1/2/3 and further allows you to use the KVM for all kinds of servers, PCs or their combinations.

Application

Integrated with PLANET KVM Switches KVM-810 and KVM-1610, a KVM chain can be constructed easily by using the DKVM-1716.



The Combo-Free KVM can be connected to any PC or server directly without concern of keyboard / mouse interface compatibility.





Specification

| Model | DKVM-1716 |
|---------------------------------|---|
| Product Specification | |
| Display Size | 17 inches |
| Panel Type | 2CCFL LCD Panel |
| Resolution Capabilities | Maximum Resolution up to 1280 x 1024 (SXGA) |
| Pixel Pitch | Supports 0.264(H) x 0.264(V) / 0.294(H) x 0.294(V) |
| Backlight lifetime | 50,000 hrs. |
| Operating System | Windows 98SE / ME / 2000 / XP / 2003 / Vista / Win7 Server, Linux, Mac OS9 / OSX and Sun Microsystems |
| Multi Platform | Supports PS/2 and Combo-Free KVM module |
| Keyboard Mouse | 105-Key keyboard with touch pad |
| Touch pad | 1000 points/inch (40 points/mm)-graphics tablet mode |
| Mouse resolution | 300 DPI |
| KVM Switch Module PC Connectors | Video: 16 HDB-15 female KB/MS: PS/2 & USB signal combined |
| Temperature | Operating: 5 ~ 40 Degree C (41 ~ 104 Degree F) Storage: -20 ~ 60 Degree C (-4 ~ 140 Degree F) |
| Humidity | 0 ~ 80% RH |
| Dimension (W x D X H) | 440 x 450 x 44 mm |
| Weight | 10.5 Kg |
| Chassis Construction | Heavy duty steel materials |
| Rail slide Dimension | 51 cm (extended length 30cm) |
| Power adaptor | Universal 100~240V AC input |
| Keyboard Language* | Multi-language support: English, Germany, French, Italian, Spanish, Chinese (Default: English) |
| Certification | CE / FCC |

Ordering Information

DKVM-1716

17" LCD Drawer KVM Console with 16 Ports Combo-Free Module

Related Products

| DKVM-1708 | 17" LCD Drawer KVM Console with 8 Ports Combo-Free Module |
|-----------------|---|
| KVM-810 | 8-Port Combo KVM Switch |
| KVM-1610 | 16-Port Combo KVM Switch |
| KVM-DCB-1.8/3/5 | 1.8/3/5 Meter 1-to-3 DKVM Combo Cable |

PLANET Technology Corporation

 11F., No.96, Minquan Rd., Xindian Dist., New Taipei City

 231, Taiwan (R.O.C.)

 Tel: 886-2-2219-9518

 Fmail: sales@planet.com.tw

 www.planet.com.tw



PLANET reserves the right to change specifications without prior notice. All brand names and trademarks are property of their respective owners. Copyright © 2013 PLANET Technology Corp. All rights reserved.